Price List No.142// W.E.F: 15-08-2019

CASTLE VALVES LIMITED

C-51 Mayapuri Industrial Area, Phase -II, New Delhi - 110064
Phone: 011-28115714, 42644195; Mobile: 9582888361,9582888365,9582888363
Email id: castlevalves@gmail.com // Website: www.castlevalves.com

INTEGRALLY MOULDED BUTTERFLY VALVES

SPECIFICATIONS	SIZE(MM)		32	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
Wafer Type: Body : C.I. IS:210 FG:220 Disc : S.G.Iron Epoxy Powder Coated Shaft : AISI 410 Seat : Integrally Moulded Nitrile/EPDM GEARBOX: S.G. Iron	PN 10	Lever	1096	1096	1270	1436	1542	1926	2333	2614	5272	-	-	-	-	-	-	-
		Gear	-	-	3958	4152	4258	4642	5049	5253	8439	12000	15455	23280	32980	43650	54320	92344
	PN 16	Lever	1130	1130	1327	1494	1620	2231	2473	2891	6402	-	-	-	-	-	-	-
		Gear	-	-	4016	4210	4336	4947	5152	5554	9091	12727	16545	27273	34800	47273	64020	96030
Wafer Type: Body : C.I. IS:210 FG:220 Disc : SS-304 Shaft : AISI 410 Seat: Intergral Moulded Nitrile/EPDM GEARBOX: S.G. Iron	PN 10	Lever	1400	1400	1500	1660	1830	2525	2725	2940	5950	-	-	-	-	-	-	-
		Gear	-	-	4215	4375	4545	5240	5480	5655	9215	12610	15520	28000	38000	50000	70000	102000
	PN 16	Lever	1850	1850	1850	1990	2125	2905	3320	3650	6640	-	-	-	-	-	-	-
		Gear	-	-	4705	4899	5093	5675	6499	6887	10460	15770	20909	31815	42900	56364	79700	118182
Wafer Type: Bodv: SG Iron Disc : SS-304 Shaft : AISI 410 Seat : Integrally Moulded Nitrile/EPDM GEARBOX: S.G. Iron	PN 16	Lever	2130	2130	2130	2300	2450	3350	3820	4200	7650	-	-	-	-	-	-	-
		Gear	-	-	5100	5250	5400	6300	6800	7160	12000	18150	24050	34050	46000	60400	85500	126500

Also Available in PN 20 & PN 25 and other MOC's

Note: Add Rs.2730 for Limit Switch arrangement (Lever Type)

Available with Shaft AISI 304 also

Note: Sizes above 600mm are available on request

Lug Type and Double Flanged Butterfly Valves are also available



Terms & Conditions:-

1: Price: Ex. Works/ Freight on your Account

2: Packing & Forwarding : Extra @ 3%

3: GST @ 18%: Extra as Applicable

4: Insurance if desired: Charged extra @ 0.2 % .

5: Inspection charges: Extra @ 2%

6: Payment Terms: 100% against P.I

Price List No.142/ W.E.F: 15-08-2019

CASTLE VALVES LIMITED

C-51, Mayapuri Industrial Area, Phase -II, New Delhi-110064
Phone: 011-28115714, 42644195; Mobile: 9582888361,9582888365,9582888363
Email id: castlevalves@gmail.com // Website: www.castlevalves.com

JAS-ANZ
M 3111204 IN

DIGITAL HANDWHEEL BALANCING VALVES

DOUBLE FLANGED BALANCING VALVE WITH PRESSURE TEST POINTS & IN-BUILT LOCKING FACILITY

Specifications	SIZE(MM)	50	65	80	100	125	150	200	250	300	350	400
Body: CI : IS : 210 : 1993 Bonnet: SG Iron IS :1865 GR 420/7 Seat: Nitrile/EPDM Stem: AISI 410 Hand-wheel: Poly Amide(up to 125mm) Working Pressure: 10 Kg./Sq. cm Disc: EN3		5610	6215	6875	10505	14366	19540	40960	65890	93335	149072	207000
Also available: 1) Disc: All Stainless Steel grades 2) Working Pressure: 16 Kg./Sq. cm												

FORGED BRASS BALANCING VALVE WITH PRESSURE TEST POINTS & IN-BUILT LOCKING FACILITY

Specifications	SIZE(MM)	15	20	25	32	40	50	65
Body: Forged Brass Bonnet: Forged Brass Stem: Forged Brass Working Parts: Forged Brass Hand-wheel: Poly Amide Working Pressure: 16 Kg./Sq. cm Seat: PTFE		1865	2118	2365	3025	3575	5610	8900

Note: Large Dia Balancing Valves also available for sizes 350mm to 1000mm

TERMS & CONDITIONS:

1: Prices : Ex Works	3: GST @ 18%: Extra as Applicable	5: Inspection charges: Extra @ 2% .
2: Packing & Forwarding: Extra@ 3%	4: Insurance if desired : Charged extra @0.2 % .	6: Payment Terms: 100% Against PI

Price List No. 142// W.E.F: 15-08-2019

CASTLE VALVES LIMITED

C-51, Mayapuri Industrial Area, Phase II, New Delhi -110064
Phone: 9582888361,9582888363,9582888365; 01128115714, 01142644195
Email id: castlevalves@gmail.com // Website: www.castlevalves.com

JAS-ANZ M 3111204 IN

WAFER TYPE CHECK VALVES

Specifications																	
CI Wafer Type Check Valve		SIZE (MM)	40	50	65	80	100	125	150	200	250	300	350	400	450	500	600
Body	Cast Iron FG 220																
Seat	Nitrile/ EPDM																
Flap	Stainless Steel 304	PN 16	720	805	1045	1210	1650	2365	3050	4500	9400	12500	16400	19700	30910	54546	94000
Flap	MS/ EN-3	PN 16	-	-	-	-	-	-	-	-	6364	9091	12545	14545	23636	40000	65000

SS Wafer Type Check Valve																	
Body	Stainless Steel 304	PN 16	1260	1520	1960	2510	3720	5020	6740	12060	32581	44727	55636	59090	76909	97272	132909
Seat	Nitrile EPDM																
Flap	Stainless Steel 304																

DUAL PLATE CHECK VALVES

Specifications																	
Dual Plate Check Valve		SIZE (MM)		50	65	80	100	125	150	200	250	300	350	400	450	500	600
Body: Cast Iron FG 220																	
Seat: Nitrile/ EPDM																	
FLAP	Stainless Steel 304	PN 10	-	1217	1400	1617	2183	3220	4230		-	-	-	-	-	-	-
FLAP	Stainless Steel 304	PN 16	-	1433	1617	2167	3167	4167	5500	9167	15833	25833	40000	58333	65000	80000	126667
FLAP	SG IRON 400/12	PN 16	-	1433	1617	2167	3167	4167	5500	9167	15833	25833	31200	43200	54050	65000	95000

Note: Also available in Different MOC's and sizes above 600mm on request

Also Available in PN20 & PN25

TERMS & CONDITIONS:

1. Prices : Ex Works .
2. Packing & Forwarding : Extra@ 3%
3: GST @ 18%; Extra as Applicable
4: Insurance if desired: Charged extra @ 0.2%
5: Inspection Charges @ 2% Extra
6: Payment Terms: 100% Against PI

Price List no. 142// W.E.F: 15-08-2019

CASTLE VALVES LTD

C-51 Mayapuri Industrial Area,Phase-II, New Delhi - 110064
Phone: 011-28115714,42644195; Mobile: 9582888361,9582888365,9582888363
Email id: castlevalves@gmail.com// Website: www.castlevalves.com

JAS-ANZ
M 3111204 IN

SIZE	Ball valve	Extended stem ball valves	Ball valve with strainer	NRV (Vertical)	NRV (Horizontal)	Auto air vent	PRV	Test & Drain Valve
8mm	184							
10mm	231					400		
15mm	250	680		210	240	510	1115	
20mm	346	850	885	266	328	598	1410	
25mm	531	1020	1900	399	542	720	2565	4950
32mm	876	1488	2660	636	822		2925	
40mm	1280	2210	2888	905	1160		3500	
50mm	1885	2933		1358	1834		5235	9900
65mm	4375							
80mm	5970							
100mm	9204							

All valves are BRASS FORGED

Ball Valve with/ without Strainer set for FCU

SIZE	Ball Valve with Strainer	Ball Valve without Strainer	FCU SET
5/8”X 20mm	580	295	875
5/8”X 25mm	655	320	975

Terms & Conditions:

1: Price Ex. Works
2: Packing & Forwarding @3% Extra
3: GST @ 18%: Extra as Applicable
4: Insurance if desired @ 0.2%
5: Inspection Charges: Extra @ 2%
6: Payment Terms: 100% Against PI

Price List No. 142// W.E.F: 15-08-2019

CASTLE VALVES LIMITED

C-51 Mayapuri Industrial Area , Phase-II, New Delhi-110064
Phone : 011-28115714, 42644195 Sales:-9582888361,9582888365,9582888363
Email id: castlevalves@gmail.com // Website:-www.castlevalves.com

JAS-ANZ
M 3111204 IN

MOTORIZED BUTTERFLY VALVE

BUTTERFLY VALVE WITH QUARTER-TURN ON/OFF ELECTRIC ACTUATOR WITH IP-65 INSULATION, ALONG WITH OVER-TORQUE PROTECTION & MANUAL OVERRIDE OPTION. (VOLTAGE 220V or 230V AC)

SIZE (mm)	Actuator Model no.	Actuator Torque	DISC: S.G IRON PN-10	DISC: S.G IRON PN-16	DISC: STAINLESS STEEL 304 PN-10	DISC: STAINLESS STEEL 304 PN-16
32	C-5	50 NM	11456	11480	11669	11984
40			11456	11480	11669	11984
50			11560	11600	11721	11966
65			11804	11845	11961	12192
80			12021	12076	12223	12430
100			12207	12420	12626	12892
125	C-10	100NM	16117	16215	16391	16808
150			16596	16790	16824	17321
200	C-20	200NM	22669	23460	23144	23627
250	C-40	400NM	29391	29900	29818	32030
300	C-60	600NM	43512	44275	43558	47330
350	C-100	1000 NM	55855	58650	59159	61829

ALSO AVAILABLE IN SIZES 400mm to 600mm

NOTE:

1. Also available in IP-67 & IP-68 Protection
2. Rates for sizes above 500mm are available on request.
3. Actuators are also available in 24V
4. Also Available in PN-20 & PN-25
5. Warranty: 12 months from the date of Supply
6. Float Switch Arrangement Also Available

TERMS & CONDITIONS:

1: Prices : Ex Works .
2: Packing & Forwarding : Extra@ 3%
3: GST@18% Extra as Applicable
4: Insurance if desired @0.2% extra
5: Inspection Charges @2% extra
6: Payment Terms: 100% Against PI

Price List no.:142// W.E.F: 15-9-2019

CASTLE VALVES LIMITED

C-51 Mayapuri Industrial Area , Phase-II, New Delhi-110064

Phone :011-28115714,42644195; Mobile:-9582888361,9582888365,9582888363

Email :-castlevalves@gmail.com // Website :-www.castlevalves.com

JAS-ANZ

M 3111204 IN

Pressure Independent Control Valves (PICV)

	MODEL NO.	SIZE(mm)	VOLTAGE	ACTUATOR	END CONNECTION	TEMPERATURE RANGE (°C)	PRESSURE RATING	PRICE (Rs.)
	CV - 1A	15 With Thermal Actuator	AC 220V	ON / OFF TYPE	SCREWED	0-100	PN-16	5500
	CV - 2A	20 With Thermal Actuator			SCREWED			5500
	CV - 2A	25	24V	MODULATING 4-20mA/ 0-10V DC BELIMO MAKE	SCREWED			11520
	CV - 4A	32			SCREWED			14430
	CV - 5A	40			SCREWED			17760
	CV - 6A	50			FLANGED			23310
	CV - 7A	65			FLANGED			35520
	CV - 8A	80			FLANGED			43290
	CV - 9A	100			FLANGED			48840
	CV - 10A	125			FLANGED			77700
	CV - 11A	150			FLANGED			116550

The Prices mentioned are inclusive of Belimo Actuators

Unions for Screwed Ends are also available

TERMS & CONDITIONS:

1: Prices Ex. Works

2: Packing & Forwarding @ 3% Extra

3: GST @18% Extra as Applicable

4: Insurance if desired: Charged extra @ 0.2%

5: Inspection Charges @2% Extra

6: Payment Terms: 50% Advance & rest against PI